DETOX THE AIR




APCO[®]
Family of Air Treatment Systems

APCO[®] Indoor Air Quality Innovation

Detox the Air with APCO®


According to the EPA, indoor air pollution is often five times worse than outside air. The occupants of our homes and offices may face significant health risks from airborne contaminants such as mold, bacteria, and odor-causing, potentially toxic, VOCs.

APCO® products feature a unique combination of UV-C light and activated carbon which achieves unmatched microbial and odor reduction (without producing any harmful ozone). This technology is particularly effective at reducing odor-causing volatile organic compounds (VOCs) which include toxic chemical vapors like formaldehyde and toluene.



The Whole Pie

Airborne contaminants can be divided roughly into thirds. Conventional filtration is effective against particulates, like dust, but has no effect on the other two thirds. APCO® is proven to safely reduce both VOCs and biological contaminants inside the air system and throughout the home.




CLEAN AIR



How APCO® Works

APCO® systems are installed in the central air system where they continuously remove airborne contaminants as they pass by. APCO® technology is based on a process called photocatalytic oxidation (similar to the catalytic converter on cars). Germicidal UV-C light reacts with titanium dioxide infused carbon cells; this neutralizes VOC contaminants, leaving only harmless water vapor and CO2. This process leaves the carbon cells clean so they never fill up or need to be replaced. The result is clean, odor-free air throughout the home.



UV-C light, filtered out by the Earth's atmosphere, sterilizes microbes which have no defense against it.



Proven, Validated, Certified, Awarded

APCO® has been proven safe and effective in numerous laboratory tests. It has been validated as ozone-free by UL Labs, certified by CARB, ETL & CE, and has won the prestigious AHR Innovation Award for indoor air quality.











APCO[®] Family of Products

APCO[®]

The original duct-mount APCO® is suitable for most furnaces and air handlers (3-7 tons). It features six activated carbon PCO

cells and is available with either a low-voltage (18-32 VAC) or high-voltage (120-277 VAC) internal power supply. APCO® Dual systems include a second remote UV lamp for additional coil disinfection.



APCO® RT is also duct-mounted and is designed for use in smaller HVAC systems (1-5 tons), particularly where space is limited. It features four activated carbon PCO cells and is available with either a low-voltage (18-32 VAC) or high-voltage (120-277 VAC) external power supply. APCO® RT Dual systems include a second remote UV lamp for additional coil disinfection.

APCO® furnace installation





APCO® Mag


APCO® Mag is designed with a magnet mount for easy installation inside the air system. APCO® Mag is available in two lengths: APCO® Mag 15 features six activated carbon PCO cells, APCO® Mag 11 features four activated carbon PCO cells, both are available with either low-voltage (18-32 VAC) or high-voltage (120-277 VAC) external power supplies.







APCO® Mag in package unit





APCO®

Dimensions

APCO


- High or low-voltage internal power supply
- Slotted flanges enhance air flow
- Ideal for HVAC systems from to 3-7 tons






APCO RT


- High or low-voltage remote power supply
- Requires only 10" clearance within the duct
- Ideal for HVAC systems from to 1-5 tons





APCO MAG

- High or low-voltage remote power supply
- Removable magnet for internal mounting
- Ideal for package units



APCO®

Specs

APCO Specifications				
UV Lamp	254 nm germicidal UV-C, quartz hot filament			
Dimensions	Cell & Lamp: 5.8"W x 3.25"H x 13.2"D Enclosure: 7.6"L x 7.6"W x 2.2"D			
ER models Electrical	18-32 VAC, 60 Hz, 0.68 Amps, 16 VA			
SI DI models Electrical	120-277 VAC, 50/60 Hz, 0.51 Amps/120V Thru 0.22 Amps/277V			
Pressure Drop	<0.01" w.c. @ 400 FPM			
Warranty	Lifetime for all parts except lamp			
Part Numbers				
18-32 VAC		Replacement Lamp		
TUV-APCO-ER TUV-APCO-ER2	1 Year Lamp 2 Year Lamp	TUVL-115 TUVL-215		
18-32 VAC with 2	2nd UV Lamp for Coils	Replacement Lamps		
TUV-APCO-DER TUV-APCO-DER	1 Year Lamp 2 2 Year Lamp	TUVL-115 & TUVL-115P TUVL-215 & TUVL-215P		
120-277 VAC		Replacement Lamp		
TUV-APCO-SI* TUV-APCO-SI2*	1 Year Lamp 2 Year Lamp	TUVL-115 TUVL-215		
120-277 VAC with 2nd UV Lamp for Coils		Replacement Lamps		
TUV-APCO-DI* TUV-APCO-DI2*	1 Year Lamps 2 Year Lamps	TUVL-115 & TUVL-115P TUVL-215 & TUVL-215P		

APCO RT	Specification	S		
UV Lamp	254 nm germicidal UV-C, quartz hot filament			
Dimensions	Cell & Lamp: 2.5"W x 2.5"H x 9.4"D Enclosure: 4.83"L x 4.83"W x 2.29"D			
ER models Electrical	18-32 VAC, 60 Hz, 0.68 Amps, 16 VA			
ST DT models Electrical	120-277 VAC, 50/60 Hz, 0.51 Amps/120V Thru 0.22 Amps/277V			
Pressure Drop	<0.01" w.c. @ 400 FPM			
Warranty	Lifetime for all parts exc	ept lamp		
Part Numbers				
18-32 VAC		Replacement Lamp		
TUV-APCO-RT-E TUV-APCO-RT-E	The state of the s	TUVL-111 TUVL-211		
120-277 VAC		Replacement Lamp		
TUV-APCO-RT-S TUV-APCO-RT-S	The state of the s	TUVL-111 TUVL-211		
120-277 VAC with 2nd UV Lamp for Coils		Replacement Lamps		
TUV-APCO-RT-D TUV-APCO-RT-D	The second se	TUVL-111 & TUVL115 TUVL-211 & TUVL215		

APCO Mag S	pecifications	5		
UV Lamp	1 Year (part #s TUVL-111P, TUVL115P) 254 nm UVC Quartz Hot Filament			
	2 Year (part #s TUVL-211P, 215P) 254 nm UVC Shielded Quartz Hot Filament			
PCO Cell	Advanced monolithic absorptive PCO cell with proprietary absorption media and proven TiO2 photo-catalyst			
Pressure Drop	<0.01" w.c. @ 400 FPM			
Dimensions	APCO MAG11 5.5"W x 4"H x 13"D APCO MAG15 5.5"W x 4"H x 17"D			
Pressure Drop	<0.01" w.c. @ 400 FPM			
Electrical ER Series	18-32 VAC, 60 Hz, 0.68 Amps, 16 VA Low-voltage power-supply			
Electrical ST / DT Series	120-277 VAC, 50/60 Hz, 0.51 Amps/120V Thru 0.22 Amps/277V High-voltage power-supply			
Warranty	Lifetime for all parts except lamp			
APCO Mag 11 Part Numbers				
18-32 VAC		Replacement Lamp		
TUV-APCO-MAG11-ER TUV-APCO-MAG11-ER2	1 Year Lamp 2 Year Lamp	TUVL-111P TUVL-211P		
120-277 VAC		Replacement Lamp		
TUV-APCO-MAG11-ST TUV-APCO-MAG11-DT TUV-APCO-MAG11-ST2 TUV-APCO-MAG11-DT2		TUVL-111P TUVL-111P & TUVL-115P TUVL-211P TUVL-211P & TUVL-215P		
APCO Mag 15 Part Numbers				
18-32 VAC		Replacement Lamp		
TUV-APCO-MAG15-ER TUV-APCO-MAG15-ER2	1 Year Lamp 2 Year Lamp	TUVL-111P TUVL-211P		
120-277 VAC		Replacement Lamp		
TUV-APCO-MAG15-ST TUV-APCO-MAG15-DT TUV-APCO-MAG15-ST2 TUV-APCO-MAG15-DT2		TUVL-115P TUVL-115P (x 2) TUVL-215P TUVL-215P (x 2)		





More Residential IAQ Products from Fresh-Aire UV



Blue-Tube UV®

The original, patented, low-voltage UV light kit kills mold and germs on the coil and in the air. Saves energy and reduces maintenance costs by keeping your central air system clean.



AHU Series 1

Mounts in the air handler for maximum UV effect. Heavy-duty moisture resistant components. Many options available.



Mini UV™

The first germicidal UV light designed specifically for Mini Splits and other limitedspace applications. 9" UV-C lamps fit in the tightest spaces.



Fresh-Aire UV® Purity

The ultimate whole-house air purification system. Advanced filtration with germ-killing UV-C light and PCO odor control.