

High Efficiency (1.28 gpf/4.8 Lpf) Toilet

**Cadet® Touchless Chair Height Elongated Toilet Less Seat**

- Combination tank and bowl, less seat
- Simple hand wave touchless flush technology
- 2-½" (64 mm) diameter sensor module can be installed on wall within 3 feet of toilet or on top of toilet tank itself
- Siphon action jetted bowl
- Ultra-low consumption (1.28 gpf/4.8 Lpf) utilizes 20% less water
- Meets EPA WaterSense® criteria
- 12" (305 mm) rough installation
- 3" (76 mm) flush valve with integrated fill valve
- 2-1/8" (54 mm) trapway bowl with EverClean® surface included
- Obtains best 1,000g MaP flush score*
- Powered by 3AAA sensor and 4AA control module batteries (included)
- Convenient, manual Polished Chrome override flush actuator on side of tank
- Limited lifetime warranty on chinaware, limited five-year warranty on all mechanical parts, and limited one-year warranty on electronic parts

Nominal Dimensions:

30-3/16 in x 15-13/16 in x 30-11/16 in (766 mm x 401 mm x 779 mm)



Description	Net Wt	SKU	Color
Cadet® Touchless Chair Height Elongated Toilet Less Seat		215AA709.020	White
Cadet® Touchless Chair Height Elongated Toilet with Locking Device - Less Seat		215AA769.020	White
Separate Components:			
Cadet® PRO Chair Height Elongated Toilet Bowl Only	55 lb 25.0 kg	3517A101.020	White
* Cadet® Touchless 1.28 gpf Single Flush Toilet Tank Only	29 lb 13.3 kg	4000709.020	White
* Cadet Touchless 1.28 gpf Single Flush Toilet Tank Only with Locking Device		4000769.020	White
* Studio 12-Inch Rough Tank Cover	7 lb 3.3 kg	735158-400.020	White
Touchless Sensor	0 lb 0.2 kg	▷7381981-201.0070A	No Finish
Manual Override Button	0 lb 0.0 kg	▷7381982-201.0020A	Polished Chrome
		▷7381982-201.0200A	White
Optional Components:			
* Transitional Slow-Close Elongated Toilet Seat	2 lb 1.3 kg	5503A00B.020	White

▷ Parts Program (Non-Premier)

* Tank and seat only are Premier

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

Cadet® PRO

High Efficiency (1.28 gpf/4.8 Lpf) Toilets



Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet Less Seat

- Combination bowl and tank, less seat
- 12" (305 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-½" (419 mm) rim height for accessible application
- 2-1/8" (54 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area
- 3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

30-1/4 in x 17-1/4 in x 30-1/4 in (768 mm x 438 mm x 768 mm)



Description	Net Wt	SKU	Color
Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Toilet Less Seat		215AA104.020	White
		215AA104.021	Bone
		215AA104.222	Linen
Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated Right-Hand Trip Lever Toilet Less Seat		215AA105.020	White
Separate Components:			
Cadet® PRO Chair Height Elongated Toilet Bowl Only	55 lb 25.0 kg	3517A101.020	White
		3517A101.021	Bone
		3517A101.222	Linen
Cadet® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	27 lb 12.6 kg	4188A104.020	White
		4188A104.021	Bone
		4188A104.222	Linen
Cadet® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Right-Hand Trip Lever Tank		4188A105.020	White
Cadet® PRO 12-Inch Rough Toilet Tank Cover	7 lb 3.3 kg	735172-400.020	White
		735172-400.021	Bone
		735172-400.222	Linen
Left-Hand Trip Lever	0 lb 0.2 kg	▷7381231-200.0020A	Polished Chrome
		▷7381231-200.0130A	Polished Nickel
	0 lb 0.2 kg	▷7381231-200.0200A	White
		▷7381231-200.0990A	Polished Brass
		▷7381231-200.2240A	Oil Rubbed Bronze
	0 lb 0.1 kg	▷7381231-200.2430A	Matte Black
		▷7381231-200.2780A	Legacy Bronze
	0 lb 0.0 kg	▷7381231-200.2950A	Brushed Nickel
Right-Hand Trip Lever	0 lb 0.2 kg	▷7381231-201.0020A	Polished Chrome
		▷7381231-201.2950A	Brushed Nickel

▷ Parts Program (Non-Premier)

Other seat options

Additional tanks

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

Low Consumption (1.6 gpf/6.0 Lpf) Toilets ✦

**Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Chair Height Elongated Toilet Less Seat**

- Combination bowl and tank, less seat
- 12" (305 mm) rough-in
- Low consumption (1.6 gpf/6.0 Lpf)
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-½" (419 mm) rim height for accessible application
- 2-1/8" (54 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area
- 3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

29-1/8 in x 17-3/8 in x 30-3/8 in (739 mm x 441 mm x 771 mm)



Description	Net Wt	SKU	Color
Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Chair Height Elongated Toilet Less Seat		215AA004.020	White
		215AA004.021	Bone
		215AA004.222	Linen
Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Chair Height Elongated Right-Hand Trip Lever Toilet Less Seat		215AA005.020	White

Separate Components:

Cadet® PRO Chair Height Elongated Toilet Bowl Only	55 lb 25.0 kg	3517A101.020	White
		3517A101.021	Bone
		3517A101.222	Linen
Cadet® PRO 1.6 gpf/6.0 Lpf 12-Inch Rough Tank	27 lb 12.6 kg	4188A004.020	White
		4188A004.021	Bone
		4188A004.222	Linen
Cadet® PRO 1.6 gpf/6.0 Lpf 12-Inch Rough Right-Hand Trip Lever Tank		4188A005.020	White
Cadet® PRO 12-Inch Rough Toilet Tank Cover	7 lb 3.3 kg	735172-400.020	White
		735172-400.021	Bone
		735172-400.222	Linen
Left-Hand Trip Lever	0 lb 0.2 kg	▷7381231-200.0020A	Polished Chrome
		▷7381231-200.0130A	Polished Nickel
		▷7381231-200.0200A	White
	0 lb 0.2 kg	▷7381231-200.0990A	Polished Brass
		▷7381231-200.2240A	Oil Rubbed Bronze
	0 lb 0.1 kg	▷7381231-200.2430A	Matte Black
		▷7381231-200.2780A	Legacy Bronze
		▷7381231-200.2950A	Brushed Nickel
Right-Hand Trip Lever	0 lb 0.2 kg	▷7381231-201.2950A	Brushed Nickel

Optional Components:

Cardiff™ Slow-Close Elongated Toilet Seat	3 lb 1.5 kg	5257A65MT.020	White
		5257A65MT.021	Bone
		5257A65MT.222	Linen

▷ Parts Program (Non-Premier)

Other seat options

Additional tanks

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

✦ Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.

High Efficiency (1.28 gpf/4.8 Lpf) Toilets



Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Round Front Toilet Less Seat

- Combination bowl and tank, less seat
- 12" (305 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-1/2" (419 mm) rim height for accessible application
- 2-1/8" (54 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area
- 3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

28-1/4 in x 17-1/4 in x 30-1/4 in (717 mm x 438 mm x 768 mm)



Description	Net Wt	SKU	Color
Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Round Front Toilet Less Seat		215BA104.020	White
		215BA104.021	Bone
		215BA104.222	Linen
Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Round Front Right-Hand Trip Lever Toilet Less Seat		215BA105.020	White

Separate Components:

Cadet® PRO Chair Height Round Front Bowl	52 lb 23.9 kg	3517B101.020	White
		3517B101.021	Bone
		3517B101.222	Linen
Cadet® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	27 lb 12.6 kg	4188A104.020	White
		4188A104.021	Bone
		4188A104.222	Linen
Cadet® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Right-Hand Trip Lever Tank		4188A105.020	White
Cadet® PRO 12-Inch Rough Toilet Tank Cover	7 lb 3.3 kg	735172-400.020	White
		735172-400.021	Bone
		735172-400.222	Linen
Left-Hand Trip Lever	0 lb 0.2 kg	▷7381231-200.0020A	Polished Chrome
		▷7381231-200.0130A	Polished Nickel
	0 lb 0.2 kg	▷7381231-200.0200A	White
		▷7381231-200.0990A	Polished Brass
		▷7381231-200.2240A	Oil Rubbed Bronze
	0 lb 0.1 kg	▷7381231-200.2430A	Matte Black
		▷7381231-200.2780A	Legacy Bronze
	0 lb 0.0 kg	▷7381231-200.2950A	Brushed Nickel
Right-Hand Trip Lever	0 lb 0.2 kg	▷7381231-201.2950A	Brushed Nickel

Optional Components:

Cardiff™ Slow-Close Round Front Toilet Seat	3 lb 1.4 kg	5259B65MT.020	White
		5259B65MT.021	Bone
		5259B65MT.222	Linen

Two-Piece Toilets

▷ Parts Program (Non-Premier)

Other seat options

Additional tanks

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

Low Consumption (1.6 gpf/6.0 Lpf) Toilets ✧

**Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Chair Height Round Front Toilet Less Seat**

- Combination bowl and tank, less seat
- 12" (305 mm) rough-in
- Low consumption (1.6 gpf/6.0 Lpf)
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-1/2" (419 mm) rim height for accessible application
- 2-1/8" (54 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area
- 3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

28-1/4 in x 17-1/4 in x 30-1/4 in (717 mm x 438 mm x 768 mm)



Description	Net Wt	SKU	Color
Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Chair Height Round Front Toilet Less Seat		215BA004.020	White
		215BA004.021	Bone
		215BA004.222	Linen
Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Chair Height Round Front Right-Hand Trip Lever Toilet Less Seat		215BA005.020	White

Separate Components:

Cadet® PRO Chair Height Round Front Bowl	52 lb 23.9 kg	3517B101.020	White
		3517B101.021	Bone
		3517B101.222	Linen
Cadet® PRO 1.6 gpf/6.0 Lpf 12-Inch Rough Tank	27 lb 12.6 kg	4188A004.020	White
		4188A004.021	Bone
		4188A004.222	Linen
Cadet® PRO 1.6 gpf/6.0 Lpf 12-Inch Rough Right-Hand Trip Lever Tank		4188A005.020	White
Cadet® PRO 12-Inch Rough Toilet Tank Cover	7 lb 3.3 kg	735172-400.020	White
		735172-400.021	Bone
		735172-400.222	Linen
Left-Hand Trip Lever	0 lb 0.2 kg	▷7381231-200.0020A	Polished Chrome
		▷7381231-200.0130A	Polished Nickel
		▷7381231-200.0200A	White
	0 lb 0.2 kg	▷7381231-200.0990A	Polished Brass
		▷7381231-200.2240A	Oil Rubbed Bronze
		▷7381231-200.2430A	Matte Black
	0 lb 0.1 kg	▷7381231-200.2780A	Legacy Bronze
		▷7381231-200.2950A	Brushed Nickel
Right-Hand Trip Lever	0 lb 0.2 kg	▷7381231-201.2950A	Brushed Nickel

Optional Components:

Cardiff™ Slow-Close Round Front Toilet Seat	3 lb 1.4 kg	5259B65MT.020	White
		5259B65MT.021	Bone
		5259B65MT.222	Linen

▷ Parts Program (Non-Premier)

Other seat options

Additional tanks

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements

✧ Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.

High Efficiency (1.28 gpf/4.8 Lpf) Toilet

**Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated 10-Inch Rough Toilet Less Seat**

- Combination bowl and tank, less seat
- 10" (254 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-1/2" (419 mm) rim height for accessible application
- 2-1/8" (54 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area
- 3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

28-1/2 in x 18 in x 30-1/4 in (723 mm x 457 mm x 768 mm)



Description	Net Wt	SKU	Color
Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Elongated 10-Inch Rough Toilet Less Seat		215AB104.020	White
		215AB104.021	Bone
		215AB104.222	Linen
Separate Components:			
Cadet® PRO Chair Height Elongated Toilet Bowl Only	55 lb 25.0 kg	3517A101.020	White
		3517A101.021	Bone
		3517A101.222	Linen
Cadet® PRO 1.28 gpf/4.8 Lpf 10-Inch Rough Tank	27 lb 12.3 kg	4188B104.020	White
		4188B104.021	Bone
		4188B104.222	Linen
Cadet® PRO 10-Inch Rough Toilet Tank Cover	6 lb 2.9 kg	735173-400.020	White
		735173-400.021	Bone
		735173-400.222	Linen
Left-Hand Trip Lever	0 lb 0.2 kg	▷7381231-200.0020A	Polished Chrome
		▷7381231-200.0130A	Polished Nickel
		▷7381231-200.0200A	White
	0 lb 0.2 kg	▷7381231-200.0990A	Polished Brass
		▷7381231-200.2240A	Oil Rubbed Bronze
		▷7381231-200.2430A	Matte Black
	0 lb 0.1 kg	▷7381231-200.2780A	Legacy Bronze
		▷7381231-200.2950A	Brushed Nickel
Optional Components:			
Cardiff™ Slow-Close Elongated Toilet Seat	3 lb 1.5 kg	5257A65MT.020	White
		5257A65MT.021	Bone
		5257A65MT.222	Linen

▷ Parts Program (Non-Premier)

Other seat options

Additional tanks

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

High Efficiency (1.28 gpf/4.8 Lpf) Toilet

**Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Round Front 10-Inch Rough Toilet Less Seat**

- Combination bowl and tank, less seat
- 10" (254 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-½" (419 mm) rim height for accessible application
- 2-1/8" (54 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area
- 3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

26-1/4 in x 18 in x 30-1/4 in (666 mm x 457 mm x 768 mm)



Description	Net Wt	SKU	Color
Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Chair Height Round Front 10-Inch Rough Toilet Less Seat		215BB104.020	White
		215BB104.021	Bone
		215BB104.222	Linen
Separate Components:			
Cadet® PRO Chair Height Round Front Bowl	52 lb 23.9 kg	3517B101.020	White
		3517B101.021	Bone
		3517B101.222	Linen
Cadet® PRO 1.28 gpf/4.8 Lpf 10-Inch Rough Tank	27 lb 12.3 kg	4188B104.020	White
		4188B104.021	Bone
		4188B104.222	Linen
Cadet® PRO 10-Inch Rough Toilet Tank Cover	6 lb 2.9 kg	735173-400.020	White
		735173-400.021	Bone
		735173-400.222	Linen
Left-Hand Trip Lever	0 lb 0.2 kg	▷7381231-200.0020A	Polished Chrome
		▷7381231-200.0130A	Polished Nickel
	0 lb 0.2 kg	▷7381231-200.0200A	White
		▷7381231-200.0990A	Polished Brass
		▷7381231-200.2240A	Oil Rubbed Bronze
	0 lb 0.1 kg	▷7381231-200.2430A	Matte Black
		▷7381231-200.2780A	Legacy Bronze
	0 lb 0.0 kg	▷7381231-200.2950A	Brushed Nickel
Optional Components:			
Cardiff™ Slow-Close Round Front Toilet Seat	3 lb 1.4 kg	5259B65MT.020	White
		5259B65MT.021	Bone
		5259B65MT.222	Linen

▷ Parts Program (Non-Premier)

Other seat options

Additional tanks

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

Low Consumption (1.6 gpf/6.0 Lpf) Toilet ✧

**Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Chair Height Elongated 10-Inch Rough Toilet Less Seat**

- Combination bowl and tank, less seat
- 10" (254 mm) rough-in
- Low consumption (1.6 gpf/6.0 Lpf)
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-½" (419 mm) rim height for accessible application
- 2-1/8" (54 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area
- 3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

28-1/2 in x 18 in x 30-1/4 in (723 mm x 457 mm x 768 mm)



Description	Net Wt	SKU	Color
Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Chair Height Elongated 10-Inch Rough Toilet Less Seat		215AB004.020	White
		215AB004.021	Bone
		215AB004.222	Linen
Separate Components:			
Cadet® PRO Chair Height Elongated Toilet Bowl Only	55 lb 25.0 kg	3517A101.020	White
		3517A101.021	Bone
		3517A101.222	Linen
Cadet® PRO 1.6 gpf/6.0 Lpf 10-Inch Rough Tank	27 lb 12.3 kg	4188B004.020	White
		4188B004.021	Bone
		4188B004.222	Linen
Cadet® PRO 10-Inch Rough Toilet Tank Cover	6 lb 2.9 kg	735173-400.020	White
		735173-400.021	Bone
		735173-400.222	Linen
Left-Hand Trip Lever	0 lb 0.2 kg	▷7381231-200.0020A	Polished Chrome
		▷7381231-200.0130A	Polished Nickel
		▷7381231-200.0200A	White
	0 lb 0.2 kg	▷7381231-200.0990A	Polished Brass
		▷7381231-200.2240A	Oil Rubbed Bronze
		▷7381231-200.2430A	Matte Black
	0 lb 0.1 kg	▷7381231-200.2780A	Legacy Bronze
		▷7381231-200.2950A	Brushed Nickel
	Optional Components:		
Cardiff™ Slow-Close Elongated Toilet Seat	3 lb 1.5 kg	5257A65MT.020	White
		5257A65MT.021	Bone
		5257A65MT.222	Linen

▷ Parts Program (Non-Premier)

Other seat options

Additional tanks

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

✧Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.

Low Consumption (1.6 gpf/6.0 Lpf) Toilet ✧

**Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Chair Height Round Front 10-Inch Rough Toilet Less Seat**

- Combination bowl and tank, less seat
- 10" (254 mm) rough-in
- Low consumption (1.6 gpf/6.0 Lpf)
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-½" (419 mm) rim height for accessible application
- 2-1/8" (54 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area
- 3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

26-1/4 in x 18 in x 30-1/4 in (666 mm x 457 mm x 768 mm)



Description	Net Wt	SKU	Color
Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Chair Height Round Front 10-Inch Rough Toilet Less Seat		215BB004.020	White
		215BB004.021	Bone
		215BB004.222	Linen

Separate Components:

Cadet® PRO Chair Height Round Front Bowl	52 lb 23.9 kg	3517B101.020	White
		3517B101.021	Bone
		3517B101.222	Linen
Cadet® PRO 1.6 gpf/6.0 Lpf 10-Inch Rough Tank	27 lb 12.3 kg	4188B004.020	White
		4188B004.021	Bone
		4188B004.222	Linen
Cadet® PRO 10-Inch Rough Toilet Tank Cover	6 lb 2.9 kg	735173-400.020	White
		735173-400.021	Bone
		735173-400.222	Linen
Left-Hand Trip Lever	0 lb 0.2 kg	▷7381231-200.0020A	Polished Chrome
		▷7381231-200.0130A	Polished Nickel
	0 lb 0.2 kg	▷7381231-200.0200A	White
		▷7381231-200.0990A	Polished Brass
		▷7381231-200.2240A	Oil Rubbed Bronze
	0 lb 0.1 kg	▷7381231-200.2430A	Matte Black
		▷7381231-200.2780A	Legacy Bronze
	0 lb 0.0 kg	▷7381231-200.2950A	Brushed Nickel

Optional Components:

Cardiff™ Slow-Close Round Front Toilet Seat	3 lb 1.4 kg	5259B65MT.020	White
		5259B65MT.021	Bone
		5259B65MT.222	Linen

▷ Parts Program (Non-Premier)

Other seat options

Additional tanks

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

✧ Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.

High Efficiency (1.28 gpf/4.8 Lpf) Toilet

**Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Compact Chair Height Elongated Toilet Less Seat**

- Combination bowl and tank, less seat
- Space saving elongated bowl fits in the space of a round front
- 12" (305 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- PowerWash® rim scrubs bowl with each flush
- Trade specific tank
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-½" (419 mm) rim height for accessible application
- 2-1/8" (54 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area
- 3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

28-1/4 in x 18 in x 30-3/8 in (717 mm x 457 mm x 771 mm)



Description	Net Wt	SKU	Color
Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Compact Chair Height Elongated Toilet Less Seat		215FA104.020	White
		215FA104.021	Bone
		215FA104.222	Linen
Separate Components:			
Cadet® PRO Compact Chair Height Elongated Bowl	55 lb 25.0 kg	3517F101.020	White
		3517F101.021	Bone
		3517F101.222	Linen
Cadet® PRO 1.28 gpf/4.8 Lpf 10-Inch Rough Tank	27 lb 12.3 kg	4188B104.020	White
		4188B104.021	Bone
		4188B104.222	Linen
Cadet® PRO 10-Inch Rough Toilet Tank Cover	6 lb 2.9 kg	735173-400.020	White
		735173-400.021	Bone
		735173-400.222	Linen
Left-Hand Trip Lever	0 lb 0.2 kg	▷7381231-200.0020A	Polished Chrome
		▷7381231-200.0130A	Polished Nickel
	0 lb 0.2 kg	▷7381231-200.0200A	White
		▷7381231-200.0990A	Polished Brass
		▷7381231-200.2240A	Oil Rubbed Bronze
	0 lb 0.1 kg	▷7381231-200.2430A	Matte Black
		▷7381231-200.2780A	Legacy Bronze
	0 lb 0.0 kg	▷7381231-200.2950A	Brushed Nickel
Optional Components:			
Cardiff™ Slow-Close Elongated Toilet Seat	3 lb 1.5 kg	5257A65MT.020	White
		5257A65MT.021	Bone
		5257A65MT.222	Linen

▷ Parts Program (Non-Premier)

Other seat options

Additional tanks

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

High Efficiency (1.28 gpf/4.8 Lpf) Toilet

**Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Compact Chair Height Elongated 14-Inch Rough Toilet Less Seat**

- Combination bowl and tank, less seat
- Space saving elongated bowl fits in the space of a round front
- 14" (356 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- PowerWash® rim scrubs bowl with each flush
- Trade specific tank
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-½" (419 mm) rim height for accessible application
- 2-1/8" (54 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area
- 3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

30 in x 17-3/8 in x 30-3/8 in (762 mm x 441 mm x 771 mm)



Description	Net Wt	SKU	Color
Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Compact Chair Height Elongated 14-Inch Rough Toilet Less Seat		215FC104.020	White
		215FC104.021	Bone
		215FC104.222	Linen
Separate Components:			
Cadet® PRO Compact Chair Height Elongated Bowl	55 lb 25.0 kg	3517F101.020	White
		3517F101.021	Bone
		3517F101.222	Linen
Cadet® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	27 lb 12.6 kg	4188A104.020	White
		4188A104.021	Bone
		4188A104.222	Linen
Cadet® PRO 12-Inch Rough Toilet Tank Cover	7 lb 3.3 kg	735172-400.020	White
		735172-400.021	Bone
		735172-400.222	Linen
Left-Hand Trip Lever	0 lb 0.2 kg	▷7381231-200.0020A	Polished Chrome
		▷7381231-200.0130A	Polished Nickel
	0 lb 0.2 kg	▷7381231-200.0200A	White
		▷7381231-200.0990A	Polished Brass
	0 lb 0.2 kg	▷7381231-200.2240A	Oil Rubbed Bronze
		▷7381231-200.2430A	Matte Black
	0 lb 0.1 kg	▷7381231-200.2780A	Legacy Bronze
		▷7381231-200.2950A	Brushed Nickel
	0 lb 0.0 kg		
Optional Components:			
Cardiff™ Slow-Close Elongated Toilet Seat	3 lb 1.5 kg	5257A65MT.020	White
		5257A65MT.021	Bone
		5257A65MT.222	Linen

▷ Parts Program (Non-Premier)

Other seat options

Additional tanks

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

Low Consumption (1.6 gpf/6.0 Lpf) Toilet ✦



Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Compact Chair Height Elongated Toilet Less Seat

- Combination bowl and tank, less seat
- Space saving elongated bowl fits in the space of a round front
- 12" (305 mm) rough-in
- Low consumption (1.6 gpf/6.0 Lpf)
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-½" (419 mm) rim height for accessible application
- 2-1/8" (54 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area
- 3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

28-1/4 in x 18 in x 30-3/8 in (717 mm x 457 mm x 771 mm)



Description	Net Wt	SKU	Color
Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Compact Chair Height Elongated Toilet Less Seat		215FA004.020	White
		215FA004.021	Bone
		215FA004.222	Linen
Separate Components:			
Cadet® PRO Compact Chair Height Elongated Bowl	55 lb 25.0 kg	3517F101.020	White
		3517F101.021	Bone
		3517F101.222	Linen
Cadet® PRO 1.6 gpf/6.0 Lpf 10-Inch Rough Tank	27 lb 12.3 kg	4188B004.020	White
		4188B004.021	Bone
		4188B004.222	Linen
Cadet® PRO 10-Inch Rough Toilet Tank Cover	6 lb 2.9 kg	735173-400.020	White
		735173-400.021	Bone
		735173-400.222	Linen
Left-Hand Trip Lever	0 lb 0.2 kg	▷7381231-200.0020A	Polished Chrome
		▷7381231-200.0130A	Polished Nickel
	0 lb 0.2 kg	▷7381231-200.0200A	White
		▷7381231-200.0990A	Polished Brass
		▷7381231-200.2240A	Oil Rubbed Bronze
	0 lb 0.1 kg	▷7381231-200.2430A	Matte Black
		▷7381231-200.2780A	Legacy Bronze
	0 lb 0.0 kg	▷7381231-200.2950A	Brushed Nickel
Optional Components:			
Cardiff™ Slow-Close Elongated Toilet Seat	3 lb 1.5 kg	5257A65MT.020	White
		5257A65MT.021	Bone
		5257A65MT.222	Linen

▷ Parts Program (Non-Premier)
Other seat options
Additional tanks
ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.
Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.
✦Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.

Low Consumption (1.6 gpf/6.0 Lpf) Toilet ✧

**Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Compact Chair Height Elongated 14-Inch Rough Toilet Less Seat**

- Combination bowl and tank, less seat
- Space saving elongated bowl fits in the space of a round front
- 14" (356 mm) rough-in
- Low consumption (1.6 gpf/6.0 Lpf)
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 16-½" (419 mm) rim height for accessible application
- 2-1/8" (54 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area
- 3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

30 in x 17-3/8 in x 30-3/8 in (762 mm x 441 mm x 771 mm)



Description	Net Wt	SKU	Color
Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Compact Chair Height Elongated 14-Inch Rough Toilet Less Seat		215FC004.020	White
		215FC004.021	Bone
		215FC004.222	Linen
Separate Components:			
Cadet® PRO Compact Chair Height Elongated Bowl	55 lb 25.0 kg	3517F101.020	White
		3517F101.021	Bone
		3517F101.222	Linen
Cadet® PRO 1.6 gpf/6.0 Lpf 12-Inch Rough Tank	27 lb 12.6 kg	4188A004.020	White
		4188A004.021	Bone
		4188A004.222	Linen
Cadet® PRO 12-Inch Rough Toilet Tank Cover	7 lb 3.3 kg	735172-400.020	White
		735172-400.021	Bone
		735172-400.222	Linen
Left-Hand Trip Lever	0 lb 0.2 kg	▷7381231-200.0020A	Polished Chrome
		▷7381231-200.0130A	Polished Nickel
	0 lb 0.2 kg	▷7381231-200.0200A	White
		▷7381231-200.0990A	Polished Brass
		▷7381231-200.2240A	Oil Rubbed Bronze
	0 lb 0.1 kg	▷7381231-200.2430A	Matte Black
		▷7381231-200.2780A	Legacy Bronze
	0 lb 0.0 kg	▷7381231-200.2950A	Brushed Nickel
Optional Components:			
Cardiff™ Slow-Close Elongated Toilet Seat	3 lb 1.5 kg	5257A65MT.020	White
		5257A65MT.021	Bone
		5257A65MT.222	Linen

▷ Parts Program (Non-Premier)

Other seat options

Additional tanks

ADA when installed with provided seat, top of seat is 17" to 19" (432 to 483 mm) from the finished floor.

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

✧Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.

High Efficiency (1.28 gpf/4.8 Lpf) Toilets

**Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Standard Height Elongated Toilet Less Seat**

- Combination bowl and tank, less seat
- 12" (305 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 2-1/8" (54 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area
- 3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

30-1/4 in x 17-1/4 in x 28-7/8 in (768 mm x 438 mm x 733 mm)



Description	Net Wt	SKU	Color
Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Standard Height Elongated Toilet Less Seat		215CA104.020	White
		215CA104.021	Bone
		215CA104.222	Linen

Separate Components:

Cadet® PRO Standard Height Elongated Bowl	50 lb 23.1 kg	3517C101.020	White
		3517C101.021	Bone
		3517C101.222	Linen
Cadet® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	27 lb 12.6 kg	4188A104.020	White
		4188A104.021	Bone
		4188A104.222	Linen
Cadet® PRO 12-Inch Rough Toilet Tank Cover	7 lb 3.3 kg	735172-400.020	White
		735172-400.021	Bone
		735172-400.222	Linen
Left-Hand Trip Lever	0 lb 0.2 kg	▷7381231-200.0020A	Polished Chrome
		▷7381231-200.0130A	Polished Nickel
		▷7381231-200.0200A	White
	0 lb 0.2 kg	▷7381231-200.0990A	Polished Brass
		▷7381231-200.2240A	Oil Rubbed Bronze
		▷7381231-200.2430A	Matte Black
	0 lb 0.1 kg	▷7381231-200.2780A	Legacy Bronze
		▷7381231-200.2950A	Brushed Nickel
	0 lb 0.0 kg		

Optional Components:

Cardiff™ Slow-Close Elongated Toilet Seat	3 lb 1.5 kg	5257A65MT.020	White
		5257A65MT.021	Bone
		5257A65MT.222	Linen

▷ Parts Program (Non-Premier)

Other seat options

Additional tanks

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

High Efficiency (1.28 gpf/4.8 Lpf) Toilet

**Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Standard Height Round Front Toilet Less Seat**

- Combination bowl and tank, less seat
- 12" (305 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 2-1/8" (54 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area
- 3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

28-1/4 in x 17-1/4 in x 28-7/8 in (717 mm x 438 mm x 733 mm)



Description	Net Wt	SKU	Color
Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Standard Height Round Front Toilet Less Seat		215DA104.020	White
		215DA104.021	Bone
		215DA104.222	Linen

Separate Components:

Cadet® PRO Standard Height Round Front Bowl	46 lb 21.3 kg	3517D101.020	White
		3517D101.021	Bone
		3517D101.222	Linen
Cadet® PRO 1.28 gpf/4.8 Lpf 12-Inch Rough Tank	27 lb 12.6 kg	4188A104.020	White
		4188A104.021	Bone
		4188A104.222	Linen
Cadet® PRO 12-Inch Rough Toilet Tank Cover	7 lb 3.3 kg	735172-400.020	White
		735172-400.021	Bone
		735172-400.222	Linen
Left-Hand Trip Lever	0 lb 0.2 kg	▷7381231-200.0020A	Polished Chrome
		▷7381231-200.0130A	Polished Nickel
		▷7381231-200.0200A	White
	0 lb 0.2 kg	▷7381231-200.0990A	Polished Brass
		▷7381231-200.2240A	Oil Rubbed Bronze
		▷7381231-200.2430A	Matte Black
	0 lb 0.1 kg	▷7381231-200.2780A	Legacy Bronze
		▷7381231-200.2950A	Brushed Nickel
	0 lb 0.0 kg		

Optional Components:

Cardiff™ Slow-Close Round Front Toilet Seat	3 lb 1.4 kg	5259B65MT.020	White
		5259B65MT.021	Bone
		5259B65MT.222	Linen

▷ Parts Program (Non-Premier)

Other seat options

Additional tanks

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

Low Consumption (1.6 gpf/6.0 Lpf) Toilet ✦



Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Standard Height Elongated Toilet Less Seat

- Combination bowl and tank, less seat
- 12" (305 mm) rough-in
- Low consumption (1.6 gpf/6.0 Lpf)
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 2-1/8" (54 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area
- 3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

30-1/4 in x 17-1/4 in x 28-7/8 in (768 mm x 438 mm x 733 mm)

Description	Net Wt	SKU	Color
Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Standard Height Elongated Toilet Less Seat		215CA004.020	White
		215CA004.021	Bone
		215CA004.222	Linen

Separate Components:

Cadet® PRO Standard Height Elongated Bowl	50 lb 23.1 kg	3517C101.020	White
		3517C101.021	Bone
		3517C101.222	Linen
Cadet® PRO 1.6 gpf/6.0 Lpf 12-Inch Rough Tank	27 lb 12.6 kg	4188A004.020	White
		4188A004.021	Bone
		4188A004.222	Linen
Cadet® PRO 12-Inch Rough Toilet Tank Cover	7 lb 3.3 kg	735172-400.020	White
		735172-400.021	Bone
		735172-400.222	Linen
Left-Hand Trip Lever	0 lb 0.2 kg	▷7381231-200.0020A	Polished Chrome
		▷7381231-200.0130A	Polished Nickel
		▷7381231-200.0200A	White
	0 lb 0.2 kg	▷7381231-200.0990A	Polished Brass
		▷7381231-200.2240A	Oil Rubbed Bronze
		▷7381231-200.2430A	Matte Black
	0 lb 0.1 kg	▷7381231-200.2780A	Legacy Bronze
		▷7381231-200.2950A	Brushed Nickel
	0 lb 0.0 kg		

Optional Components:

Cardiff™ Slow-Close Elongated Toilet Seat	3 lb 1.5 kg	5257A65MT.020	White
		5257A65MT.021	Bone
		5257A65MT.222	Linen

▷ Parts Program (Non-Premier)
Other seat options
Additional tanks
Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.
✦Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.

Low Consumption (1.6 gpf/6.0 Lpf) Toilet ✧

**Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Standard Height Round Front Toilet Less Seat**

- Combination bowl and tank, less seat
- 12" (305 mm) rough-in
- Low consumption (1.6 gpf/6.0 Lpf)
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 2-1/8" (54 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area
- 3" (76 mm) flush valve
- Five-year warranty
- Round Front Toilet Less Seat

Nominal Dimensions:

28-1/4 in x 17-1/4 in x 28-7/8 in (717 mm x 438 mm x 733 mm)

Description	Net Wt	SKU	Color
Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Standard Height Round Front Toilet Less Seat		215DA004.020	White
		215DA004.021	Bone
		215DA004.222	Linen
Separate Components:			
Cadet® PRO Standard Height Round Front Bowl	46 lb 21.3 kg	3517D101.020	White
		3517D101.021	Bone
		3517D101.222	Linen
Cadet® PRO 1.6 gpf/6.0 Lpf 12-Inch Rough Tank	27 lb 12.6 kg	4188A004.020	White
		4188A004.021	Bone
		4188A004.222	Linen
Cadet® PRO 12-Inch Rough Toilet Tank Cover	7 lb 3.3 kg	735172-400.020	White
		735172-400.021	Bone
		735172-400.222	Linen
Left-Hand Trip Lever	0 lb 0.2 kg	▷7381231-200.0020A	Polished Chrome
		▷7381231-200.0130A	Polished Nickel
		▷7381231-200.0200A	White
	0 lb 0.2 kg	▷7381231-200.0990A	Polished Brass
		▷7381231-200.2240A	Oil Rubbed Bronze
		▷7381231-200.2430A	Matte Black
	0 lb 0.1 kg	▷7381231-200.2780A	Legacy Bronze
		▷7381231-200.2950A	Brushed Nickel
Optional Components:			
Cardiff™ Slow-Close Round Front Toilet Seat	3 lb 1.4 kg	5259B65MT.020	White
		5259B65MT.021	Bone
		5259B65MT.222	Linen

▷ Parts Program (Non-Premier)

Other seat options

Additional tanks

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

✧ Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.

High Efficiency (1.28 gpf/4.8 Lpf) Toilets

**Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Standard Height Elongated 10-Inch Rough Toilet Less Seat**

- Combination bowl and tank, less seat
- 10" (254 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 2-1/8" (54 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area
- 3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

28-1/2 in x 18 in x 29 in (723 mm x 457 mm x 736 mm)



Description	Net Wt	SKU	Color
Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Standard Height Elongated 10-Inch Rough Toilet Less Seat		215CB104.020	White
		215CB104.021	Bone
		215CB104.222	Linen
Separate Components:			
Cadet® PRO Standard Height Elongated Bowl	50 lb 23.1 kg	3517C101.020	White
		3517C101.021	Bone
		3517C101.222	Linen
Cadet® PRO 1.28 gpf/4.8 Lpf 10-Inch Rough Tank	27 lb 12.3 kg	4188B104.020	White
		4188B104.021	Bone
		4188B104.222	Linen
Cadet® PRO 10-Inch Rough Toilet Tank Cover	6 lb 2.9 kg	735173-400.020	White
		735173-400.021	Bone
		735173-400.222	Linen
Left-Hand Trip Lever	0 lb 0.2 kg	▷7381231-200.0020A	Polished Chrome
		▷7381231-200.0130A	Polished Nickel
	0 lb 0.2 kg	▷7381231-200.0200A	White
		▷7381231-200.0990A	Polished Brass
		▷7381231-200.2240A	Oil Rubbed Bronze
	0 lb 0.1 kg	▷7381231-200.2430A	Matte Black
		▷7381231-200.2780A	Legacy Bronze
	0 lb 0.0 kg	▷7381231-200.2950A	Brushed Nickel
	Optional Components:		
Cardiff™ Slow-Close Elongated Toilet Seat	3 lb 1.5 kg	5257A65MT.020	White
		5257A65MT.021	Bone
		5257A65MT.222	Linen

▷ Parts Program (Non-Premier)

Other seat options

Additional tanks

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

High Efficiency (1.28 gpf/4.8 Lpf) Toilet

**Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Standard Height Round Front 10-Inch Rough Toilet Less Seat**

- Combination bowl and tank, less seat
- 10" (254 mm) rough-in
- High efficiency, ultra-low consumption (1.28 gpf/4.8 Lpf), utilizes 20% less water
- Meets EPA WaterSense® criteria
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 2-1/8" (54 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area
- 3" (76 mm) flush valve
- Five-year warranty
- Round Front Toilet Less Seat

Nominal Dimensions:

26-1/4 in x 18 in x 29 in (666 mm x 457 mm x 736 mm)



Description	Net Wt	SKU	Color
Cadet® PRO Two-Piece 1.28 gpf/4.8 Lpf Standard Height Round Front 10-Inch Rough Toilet Less Seat		215DB104.020	White
		215DB104.021	Bone
		215DB104.222	Linen
Separate Components:			
Cadet® PRO Standard Height Round Front Bowl	46 lb 21.3 kg	3517D101.020	White
		3517D101.021	Bone
		3517D101.222	Linen
Cadet® PRO 1.28 gpf/4.8 Lpf 10-Inch Rough Tank	27 lb 12.3 kg	4188B104.020	White
		4188B104.021	Bone
		4188B104.222	Linen
Cadet® PRO 10-Inch Rough Toilet Tank Cover	6 lb 2.9 kg	735173-400.020	White
		735173-400.021	Bone
		735173-400.222	Linen
Left-Hand Trip Lever	0 lb 0.2 kg	▷7381231-200.0020A	Polished Chrome
	0 lb 0.1 kg	▷7381231-200.0130A	Polished Nickel
	0 lb 0.2 kg	▷7381231-200.0200A	White
		▷7381231-200.0990A	Polished Brass
		▷7381231-200.2240A	Oil Rubbed Bronze
		0 lb 0.1 kg	▷7381231-200.2430A
		▷7381231-200.2780A	Legacy Bronze
	0 lb 0.0 kg	▷7381231-200.2950A	Brushed Nickel
Optional Components:			
Cardiff™ Slow-Close Round Front Toilet Seat	3 lb 1.4 kg	5259B65MT.020	White
		5259B65MT.021	Bone
		5259B65MT.222	Linen

1

▷ Parts Program (Non-Premier)

Other seat options

Additional tanks

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

Low Consumption (1.6 gpf/6.0 Lpf) Toilets ✦



Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Standard Height Elongated 10-Inch Rough Toilet Less Seat

- Combination bowl and tank, less seat
- 10" (254 mm) rough-in
- Low consumption (1.6 gpf/6.0 Lpf)
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 2-1/8" (54 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area
- 3" (76 mm) flush valve
- Five-year warranty

Nominal Dimensions:

28-1/2 in x 18 in x 29 in (723 mm x 457 mm x 736 mm)

Description	Net Wt	SKU	Color
Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Standard Height Elongated 10-Inch Rough Toilet Less Seat		215CB004.020	White
		215CB004.021	Bone
		215CB004.222	Linen
Separate Components:			
Cadet® PRO Standard Height Elongated Bowl	50 lb 23.1 kg	3517C101.020	White
		3517C101.021	Bone
		3517C101.222	Linen
Cadet® PRO 1.6 gpf/6.0 Lpf 10-Inch Rough Tank	27 lb 12.3 kg	4188B004.020	White
		4188B004.021	Bone
		4188B004.222	Linen
Cadet® PRO 10-Inch Rough Toilet Tank Cover	6 lb 2.9 kg	735173-400.020	White
		735173-400.021	Bone
		735173-400.222	Linen
Left-Hand Trip Lever	0 lb 0.2 kg	▷7381231-200.0020A	Polished Chrome
		▷7381231-200.0130A	Polished Nickel
		▷7381231-200.0200A	White
	0 lb 0.2 kg	▷7381231-200.0990A	Polished Brass
		▷7381231-200.2240A	Oil Rubbed Bronze
		▷7381231-200.2430A	Matte Black
	0 lb 0.1 kg	▷7381231-200.2780A	Legacy Bronze
		▷7381231-200.2950A	Brushed Nickel
	0 lb 0.0 kg		
Optional Components:			
Cardiff™ Slow-Close Elongated Toilet Seat	3 lb 1.5 kg	5257A65MT.020	White
		5257A65MT.021	Bone
		5257A65MT.222	Linen

▷ Parts Program (Non-Premier)
Other seat options
Additional tanks
Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.
✦Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.

Low Consumption (1.6 gpf/6.0 Lpf) Toilet ✧

**Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Standard Height Round Front 10-Inch Rough Toilet Less Seat**

- Combination bowl and tank, less seat
- 10" (254 mm) rough-in
- Low consumption (1.6 gpf/6.0 Lpf)
- Trade specific tank
- PowerWash® rim scrubs bowl with each flush
- Metal trip lever
- Metal shank fill valve
- Includes EZ-Install Tools
- EverClean® Antimicrobial Surface
- 2-1/8" (54 mm) fully glazed trapway
- 9" x 8" (229 x 203 mm) water surface area
- 3" (76 mm) flush valve
- Five-year warranty
- Round Front Toilet Less Seat

Nominal Dimensions:

26-1/4 in x 18 in x 29 in (666 mm x 457 mm x 736 mm)

Description	Net Wt	SKU	Color
Cadet® PRO Two-Piece 1.6 gpf/6.0 Lpf Standard Height Round Front 10-Inch Rough Toilet Less Seat		215DB004.020	White
		215DB004.021	Bone
		215DB004.222	Linen
Separate Components:			
Cadet® PRO Standard Height Round Front Bowl	46 lb 21.3 kg	3517D101.020	White
		3517D101.021	Bone
		3517D101.222	Linen
Cadet® PRO 1.6 gpf/6.0 Lpf 10-Inch Rough Tank	27 lb 12.3 kg	4188B004.020	White
		4188B004.021	Bone
		4188B004.222	Linen
Cadet® PRO 10-Inch Rough Toilet Tank Cover	6 lb 2.9 kg	735173-400.020	White
		735173-400.021	Bone
		735173-400.222	Linen
Left-Hand Trip Lever	0 lb 0.2 kg	▷7381231-200.0020A	Polished Chrome
		▷7381231-200.0130A	Polished Nickel
		▷7381231-200.0200A	White
	0 lb 0.2 kg	▷7381231-200.0990A	Polished Brass
		▷7381231-200.2240A	Oil Rubbed Bronze
		▷7381231-200.2430A	Matte Black
	0 lb 0.1 kg	▷7381231-200.2780A	Legacy Bronze
		▷7381231-200.2950A	Brushed Nickel
Optional Components:			
Cardiff™ Slow-Close Round Front Toilet Seat	3 lb 1.4 kg	5259B65MT.020	White
		5259B65MT.021	Bone
		5259B65MT.222	Linen

▷ Parts Program (Non-Premier)

Other seat options

Additional tanks

Meets all ANSI/ASME Low Consumption, Water Conservation Requirements.

✧ Check your local codes to determine if 1.6 gpf/6.0 Lpf toilets are allowed in your area.