

MegaPressG



2.2

viega

MegaPressG

Viega MegaPressG with an HNBR sealing element is the first press fitting system for carbon steel pipe approved for use in gas and fuel oil applications. Viega MegaPressG is ideal for industrial, commercial and residential applications and performs well in both new installations and retrofit projects. Tested to the strictest standards in North America, Viega MegaPressG joins carbon steel pipe reliably through the engineered design of the fittings and a battery-powered press tool. Not approved for use with potable water.

FEATURES AND BENEFITS

- Engineered with a 420 stainless steel grip ring plus a 304 stainless steel separator ring for sizes ½" to 2" and a graphite separator ring for sizes 2½" to 4"
- Approved for more applications than any other carbon steel pipe press fitting system
- Suitable for use with ASTM Schedule 5 to Schedule 40 carbon steel pipe in accordance with AHJ requirements
- Corrosion-resistant zinc nickel coating
- More than 200 engineered fitting configurations from ½" to 4"
- Approved for underground applications in accordance with code and local AHJ
- The same hanger and support requirements as threaded systems
- Smart Connect technology provides installers added confidence in their ability to ensure secure connections

CODES AND STANDARDS

- 49CFR192: Subparts B-Materials; F-Joining of Materials other than by welding; I-Requirements for Corrosion Control; and Subpart J - Test Requirements
- ASME B31: Code for Pressure Piping
- ASME B31.1: Power Piping
- ASME B31.3: Process Piping
- ASME B31.9: Building Service Piping
- CAN/CSA-B149.1: Natural Gas and Propane Installation Code
- CPC: California Plumbing Code
- IACS UR P2: Rules for piping design, construction and testing
- IAPMO: PS-117: Press Connections
- IAPMO: Uniform Mechanical Code (UMC)
- IAPMO: Uniform Plumbing Code (UPC)
- ICC: International Fuel Gas Code (IFGC)
- ICC: International Mechanical Code (IMC)
- ICC: International Residential Code (IRC)
- CSA: ANSI LC 4a/CSA 6.32a: Press-Connect Metallic Fittings For Use in Fuel Gas Distribution Systems
- National Building Code of Canada (NBCC)
- NFPA 30: Flammable and Combustible Liquids Code
- NFPA 54/Z223: National Fuel Gas Code
- NFPA 58: Liquefied Petroleum Gas Code

LISTINGS AND CERTIFICATIONS

- ABS: American Bureau of Shipping Type Approval
- ASTM F3226: Standard Specification for Metallic Press-Connect Fittings for Piping and Tubing Systems
- BV: Bureau Veritas Type Approval
- Canadian Registration Number (CRN): 14541.5 A/B/C
- CSA: ANSI LC 4a/CSA 6.32a: Press-Connect Metallic Fittings for Use in Fuel Gas Distribution Systems
- DNV GL: Det Norske Veritas Germanischer Lloyd Type Approval
- IAPMO: ANSI LC 4a/CSA 6.32a: Press-Connect Metallic Fittings for Use in Fuel Gas Distribution Systems
- IAPMO file 5318
- ICC-ES PMG Product Certificate PMG-1036 (MegaPress G)
- LR: Lloyd's Register Type Approval
- RINA: Registro Italiano Navale
- United States Coast Guard Acceptance Letter 2018-3613

NOTE

A yellow dot on a Viega MegaPressG fitting indicates Smart Connect technology with an HNBR sealing element.

Index

Elbows	82
Tees	83
Adapters	84
Flanges	85
Caps	86
Unions	86
Couplings	87
Reducers	88
Valves	88
Accessories	89

Elbows



Viega MegaPressG 90° elbow Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection

Components

HNBR sealing elements

Model 6616

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.370	10	25201	12
3/4	3/4	0.503	10	25206	12
1	1	0.811	5	25211	12
1 1/4	1 1/4	1.278	1	25216	12
1 1/2	1 1/2	1.708	1	25221	12
2	2	2.541	1	25226	12



Viega MegaPressG 90° elbow Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection

Components

HNBR sealing elements

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator

Model 6616XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	3.306	1	28600	12
3	3	4.668	1	28605	12
4	4	7.597	1	28610	12



Viega MegaPressG 90° street elbow Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection, street

Components

HNBR sealing element

Model 6616.1

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.379	10	26051	12
3/4	3/4	0.531	10	26056	12
1	1	0.838	5	26061	12
1 1/4	1 1/4	1.300	1	26066	12
1 1/2	1 1/2	1.790	1	26071	12
2	2	2.596	1	26076	12



Viega MegaPressG 90° street elbow Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection, street

Components

HNBR sealing element

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator

Model 6616.1XL

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	3.242	1	28615	12
3	3	4.421	1	28620	12
4	4	7.178	1	28625	12



Viega MegaPressG 45° elbow Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection

Components

HNBR sealing elements

Model 6626

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.309	10	25231	12
3/4	3/4	0.410	10	25236	12
1	1	0.655	5	25241	12
1 1/4	1 1/4	1.047	1	25246	12
1 1/2	1 1/2	1.389	1	25251	12
2	2	1.951	1	25256	12


Viega MegaPressG 45° elbow
Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection

Components

HNBR sealing elements

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator

Model 6626XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	2.482	1	28630	12
3	3	3.471	1	28635	12
4	4	5.686	1	28640	12


Viega MegaPressG 45° street elbow
Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection, street

Components

HNBR sealing element

Model 6626.1

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
½	½	0.312	10	26101	12
¾	¾	0.428	10	26106	12
1	1	0.677	5	26111	12
1¼	1¼	1.058	1	26116	12
1½	1½	1.435	1	26121	12
2	2	2.094	1	26126	12


Viega MegaPressG 45° street elbow
Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection, street

Components

HNBR sealing element

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator

Model 6626.1XL

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
2½	2½	2.380	1	28645	12
3	3	3.258	1	28650	12
4	4	5.356	1	28655	12

Tees

Viega MegaPressG tee
Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection

Components

HNBR sealing elements

Model 6618

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
½	½	½	0.507	5	25301	12
¾	¾	½	0.639	5	25331	12
¾	¾	¾	0.679	5	25306	12
1	1	½	0.917	5	25336	12
1	1	¾	0.957	5	25341	12
1	1	1	1.031	5	25311	12
1¼	1¼	½	1.355	1	25491	12
1¼	1¼	¾	1.406	1	25496	12
1¼	1¼	1	1.477	1	25351	12
1¼	1¼	1¼	1.644	1	25316	12
1½	1½	½	1.752	1	25361	12
1½	1½	¾	1.790	1	25366	12
1½	1½	1	1.878	1	25371	12
1½	1½	1¼	2.028	1	25376	12
1½	1½	1½	2.138	1	25321	12
2	2	½	2.526	1	25381	12
2	2	¾	2.444	1	25386	12
2	2	1	2.513	1	25391	12
2	2	1¼	2.645	1	25396	12
2	2	1½	2.755	1	25401	12
2	2	2	2.898	1	25326	12


Viega MegaPressG tee
Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection

Components

HNBR sealing elements

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator

Model 6618XL

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
2½	2½	1	2.358	1	28910	12
2½	2½	1¼	2.729	1	28905	12
2½	2½	1½	2.821	1	28675	12
2½	2½	2	3.246	1	28680	12
2½	2½	2½	3.369	1	28660	12
3	3	1¼	3.577	1	28695	12
3	3	1½	3.753	1	28690	12
3	3	2	4.077	1	28685	12
3	3	2½	4.256	1	28700	12
3	3	3	4.796	1	28665	12
4	4	1½	5.539	1	28705	12
4	4	2	5.953	1	28710	12
4	4	2½	6.325	1	28715	12
4	4	3	6.727	1	28720	12
4	4	4	7.994	1	28670	12


Viega MegaPressG tee
Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection, female pipe thread

Components

HNBR sealing elements

Model 6617.2

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
¾	¾	½	0.613	5	25406	12
¾	¾	¾	0.639	5	25481	12
1	1	½	0.886	5	25411	12
1	1	¾	0.915	5	25416	12
1¼	1¼	½	1.344	1	25486	12
1¼	1¼	¾	1.349	1	25506	12
1¼	1¼	1	1.444	1	25501	12
1½	1½	½	1.706	1	25436	12
1½	1½	¾	1.741	1	25441	12
1½	1½	1	1.929	1	25446	12
1½	1½	1¼	1.829	1	25451	12
2	2	½	2.358	1	25456	12
2	2	¾	2.391	1	25461	12
2	2	1	2.535	1	25466	12
2	2	1¼	2.446	1	25471	12
2	2	1½	2.601	1	25476	12


Viega MegaPressG tee
Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection, female pipe thread

Components

HNBR sealing elements

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator

Model 6617.2XL

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
2½	2½	¾	2.244	1	28725	12
3	3	¾	3.097	1	28730	12
4	4	¾	4.501	1	28735	12

Adapters

Viega MegaPressG adapter
Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection, male pipe thread

Components

HNBR sealing element

Model 6611

P	MPT	Wt [lb]	Quantity	Part No	DG
½	½	0.227	10	25101	12
¾	¾	0.313	10	25106	12
1	1	0.474	5	25111	12
1¼	1¼	0.767	5	25116	12
1½	1½	1.069	1	25121	12
2	2	1.433	1	25126	12


Viega MegaPressG adapter
Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection, male pipe thread

Components

HNBR sealing element

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator

Model 6611XL

P	MPT	Wt [lb]	Quantity	Part No	DG
2½	2½	1.719	1	28740	12
3	3	2.338	1	28745	12
4	4	4.119	1	28750	12


Viega MegaPressG adapter
Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection, female pipe thread

Components

HNBR sealing element

Model 6612

P	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.246	10	25131	12
¾	½	0.291	10	25576	12
¾	¾	0.315	10	25136	12
1	½	0.441	10	25581	12
1	¾	0.441	5	25586	12
1	1	0.538	5	25141	12
1¼	½	0.660	1	25591	12
1¼	¾	0.670	1	25596	12
1¼	1	0.749	1	25601	12
1¼	1¼	0.662	5	25146	12
1½	½	0.827	1	25606	12
1½	¾	0.860	1	25611	12
1½	1	0.959	1	25616	12
1½	1¼	0.849	1	25621	12
1½	1½	0.948	1	25151	12
2	½	1.098	1	25626	12
2	¾	1.124	1	25631	12
2	1	1.225	1	25636	12
2	1¼	1.157	1	25641	12
2	1½	1.190	1	25646	12
2	2	1.333	1	25156	12


Viega MegaPressG adapter
Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection, female pipe thread

Components

HNBR sealing element

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator

Model 6612XL

P	FPT	Wt [lb]	Quantity	Part No	DG
2½	2½	1.827	1	28755	12
3	3	2.354	1	28760	12
4	4	3.436	1	28765	12

Flanges

Viega MegaPressG flange
Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection

Components

HNBR sealing element

Model 6659.5

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
½	4	2¾	1.393	1	25761	12
¾	4	2¾	1.845	1	25766	12
1	4	3⅞	2.455	1	25771	12
1¼	4	3½	2.711	1	25776	12
1½	4	3⅞	4.011	1	25781	12
2	4	4¾	5.400	1	25786	12

BP = bolt pattern

BPd = bolt pattern diameter


Viega MegaPressG flange
Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection

Components

HNBR sealing element

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator

Model 6659.5XL

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
2½	4	5½	8.426	1	28875	12
3	4	6	9.881	1	28880	12
4	8	7½	13.874	1	28885	12

BP = bolt pattern

BPd = bolt pattern diameter

Caps


Viega MegaPressG cap
Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection

Components

HNBR sealing element

Model 6656

P	Wt [lb]	Quantity	Part No	DG
½	0.203	10	25731	12
¾	0.264	10	25736	12
1	0.397	5	25741	12
1¼	0.617	1	25746	12
1½	0.804	1	25751	12
2	1.080	1	25756	12


Viega MegaPressG cap
Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection

Components

HNBR sealing element

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator

Model 6656XL

P	Wt [lb]	Quantity	Part No	DG
2½	1.309	1	28860	12
3	1.708	1	28865	12
4	2.746	1	28870	12

Unions


Viega MegaPressG union
Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection
- Ground joint

Components

HNBR sealing elements

Model 6660

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.758	5	25701	12
¾	¾	1.212	5	25706	12
1	1	1.441	5	25711	12
1¼	1¼	2.424	1	25716	12
1½	1½	2.689	1	25721	12
2	2	4.188	1	25726	12


Viega MegaPressG union
Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection, female pipe thread
- Ground joint

Components

HNBR sealing element

Model 6662

P	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.675	5	25651	12
¾	¾	1.107	5	25656	12
1	1	1.358	5	25661	12
1¼	1¼	2.343	1	25666	12
1½	1½	2.226	1	25671	12
2	2	3.295	1	25676	12

Couplings



Viega MegaPressG coupling

With stop

Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection

Components

HNBR sealing elements

Model 6615

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.260	10	25001	12
3/4	3/4	0.353	10	22009	12
1	1	0.514	5	25011	12
1 1/4	1 1/4	0.860	1	25016	12
1 1/2	1 1/2	1.124	1	25021	12
2	2	1.433	1	25026	12



Viega MegaPressG coupling

With stop

Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection

Components

HNBR sealing elements

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator

Model 6615XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	1.728	1	28770	12
3	3	2.435	1	28775	12
4	4	3.965	1	28780	12



Viega MegaPressG coupling

No stop

Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection

Components

HNBR sealing elements

Model 6615.5

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.264	10	25031	12
3/4	3/4	0.339	10	25036	12
1	1	0.511	5	25041	12
1 1/4	1 1/4	0.860	1	25046	12
1 1/2	1 1/2	1.124	1	25051	12
2	2	1.411	1	25056	12



Viega MegaPressG coupling

No stop

Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection

Components

HNBR sealing elements

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator

Model 6615.5XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	1.728	1	28785	12
3	3	2.413	1	28790	12
4	4	4.009	1	28795	12



Viega MegaPressG extended coupling

No stop

Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection

Components

HNBR sealing elements

Model 6615.3

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.348	10	25071	12
3/4	3/4	0.447	10	25076	12
1	1	0.674	5	25081	12
1 1/4	1 1/4	1.031	1	25086	12
1 1/2	1 1/2	1.350	1	25091	12
2	2	1.693	1	25096	12

Reducers



Viega MegaPressG reducer Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Street, press connection

Components

HNBR sealing element

Model 6615.1

FTG (IPS)	P	Wt [lb]	Quantity	Part No	DG
3/4	1/2	0.276	5	26001	12
1	1/2	0.364	5	26006	12
1	3/4	0.397	5	26011	12
1 1/4	1	0.688	1	26016	12
1 1/2	3/4	0.710	1	26021	12
1 1/2	1	0.793	1	26031	12
1 1/2	1 1/4	0.926	1	26026	12
2	1	1.047	1	26036	12
2	1 1/4	1.168	1	26041	12
2	1 1/2	1.289	1	26046	12



Viega MegaPressG reducer Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Street, press connection

Components

HNBR sealing element

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator

Model 6615.1XL

FTG (IPS)	P	Wt [lb]	Quantity	Part No	DG
2 1/2	1	1.210	1	28800	12
2 1/2	1 1/4	1.351	1	28805	12
2 1/2	1 1/2	1.457	1	28810	12
2 1/2	2	1.534	1	28815	12
3	1 1/4	1.809	1	28820	12
3	1 1/2	1.924	1	28825	12
3	2	1.995	1	28830	12
3	2 1/2	2.010	1	28835	12
4	1 1/2	2.980	1	28840	12
4	2	3.130	1	28845	12
4	2 1/2	3.086	1	28850	12
4	3	3.526	1	28855	12



Viega MegaPressG reducer Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Carbon steel
- Press connection

Components

HNBR sealing elements

Model 6615.2

P1	P2	Wt [lb]	Quantity	Part No	DG
3/4	1/2	0.360	5	25931	12
1	1/2	0.485	5	25936	12
1	3/4	0.511	5	25941	12
1 1/4	3/4	0.743	1	25946	12
1 1/4	1	0.804	1	25951	12
1 1/2	1 1/4	1.080	1	25956	12
2	1 1/4	1.459	1	25961	12
2	1 1/2	1.492	1	25966	12

Valves



New

Viega MegaPressG ball valve Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Bronze body, carbon steel press ends
- Press connection

Components

HNBR sealing elements

Model 6675

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.813	1	30600¹	12
3/4	3/4	1.095	1	30605¹	12
1	1	1.713	1	30610¹	12
1 1/4	1 1/4	2.654	1	30615¹	12
1 1/2	1 1/2	3.678	1	30620¹	12
2	2	5.704	1	30625¹	12

¹⁾ Available soon!



New

Viega MegaPressG ball valve Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Bronze body, carbon steel press ends
- Press connection, female pipe thread

Components

HNBR sealing element

Model 6675.1

P	FPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.692	1	30630¹	12
3/4	3/4	0.930	1	30635¹	12
1	1	1.455	1	30640¹	12
1 1/4	1 1/4	2.255	1	30645¹	12
1 1/2	1 1/2	3.127	1	30650¹	12
2	2	4.849	1	30655¹	12

¹⁾ Available soon!



New

Viega MegaPressG ball valve

Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Bronze body, carbon steel press ends
- Press connection, male pipe thread

Components

HNBR sealing element

Model 6675.2

P	MPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.732	1	30660 ¹	12
3/4	3/4	0.987	1	30665 ¹	12
1	1	1.543	1	30670 ¹	12
1 1/4	1 1/4	2.391	1	30675 ¹	12
1 1/2	1 1/2	3.315	1	30680 ¹	12
2	2	5.140	1	30685 ¹	12

¹⁾ Available soon!



New

Viega MegaPressG ball valve

Smart Connect technology

- For use with Sch.5 to Sch.40 carbon steel pipe
- Bronze body, carbon steel press ends
- Press connection, ground joint

Components

HNBR sealing element

Model 6675.3

P	GJ	Wt [lb]	Quantity	Part No	DG
1/2	1/2	1.263	1	30690 ¹	12
3/4	3/4	1.893	1	30695 ¹	12
1	1	2.585	1	30700 ¹	12
1 1/4	1 1/4	4.225	1	30705 ¹	12
1 1/2	1 1/2	4.825	1	30710 ¹	12
2	2	7.566	1	30715 ¹	12

GJ = ground joint

¹⁾ Available soon!

Accessories



Flange bolt set

- For adapter flange
- Galvanized carbon steel

Components

Bolt, nut, washer

Model 2959.7

L [in]	W [in]	Bolts	Flange	Wt [lb]	Quantity	Part No	DG
2 1/2	1/2	4	1/2, 3/4, 1, 1 1/4, 1 1/2	0.871	1	19748	8
2 3/4	5/8	4	2, 2 1/2, 3	1.572	1	19758	8
2 3/4	5/8	8	4	3.141	1	19763	8



Viega replacement handle

- For Viega ProPress Zero Lead ball valves and for Viega MegaPressG ball valves
- Suitable for Viega ProPress ball valve Model 2971.1ZL, 2971.3ZL, 2971.4ZL, 2971.6ZL, Viega MegaPressG ball valve Model 6675, 6675.1, 6675.2, 6675.3
- Galvanized carbon steel

Model 2971.8

Valve Size	Wt [lb]	Quantity	Part No	DG
1/2, 3/4	0.119	1	22170	8
1, 1 1/4	0.185	1	22172	8
1 1/2, 2	0.179	1	22174	8



Viega ProPress stem extension

- For Viega ProPress Zero Lead ball valves
- Bronze

Model 2971.96

Valve Size	Wt [lb]	Quantity	Part No	DG
1/2, 3/4	0.207	1	23443 ¹	8
1, 1 1/4	0.245	1	23445 ²	8
1 1/2, 2	0.276	1	23447 ³	8

¹⁾ Suitable for Viega ProPress ball valve Part No 79875, 79876, 79920, 79923, 79925, 79928, 79970, 79975

²⁾ Suitable for Viega ProPress ball valve Part No 79930, 79933, 79935, 79938, 79980

³⁾ Suitable for Viega ProPress ball valve Part No 79940, 79943, 79948, 79950

